MEMO TO: John C. Patterson, City Manager

FROM: Doug Follick, Leisure Services Director

Jason Knopp, P.E., Acting City Engineer

SUBJECT: Agreement with Athletica Sport Systems, Corp.

Casper Events Center Dasher Boards and Ice Cover, Project No. 14-28B

Recommendation:

That Council, by resolution, authorize an agreement with Athletica Sport Systems, Corp., for the Casper Events Center Dasher Boards and Ice Cover, Project No. 14-28B, in the amount of \$426,945.

Summary:

On Tuesday, June 24, 2014, two (2) bids were received for the Casper Events Center Dasher Boards and Ice Cover Project. The project consists of supplying and installing one (1) complete dasher board 85' x 200' removable system; team boxes; penalty boxes; scorekeeper's box; camera box; cast acrylic spectator shielding; ice dam; transport/storage equipment; attic stock of spare components; and netting system.

The bids received for this work are as follows:

CONTRACTOR	BUSINESS LOCATION	BID AMOUNT
Athletica Sport Systems, Corp.	Ontario, Canada	\$426,945
Becker Arena Products, Inc.	Savage, Minnesota	\$No Bid

The City's consultant for the project, International Coliseums Company (ICC), evaluated the bids based on pre-qualifications, material system, expertise of installation, quality and accuracy of the company's response to schedule, and cost proposal. ICC recommends award of the contract to Athletica Sport Systems, Corp. Becker indicated they could not meet the project schedule.

This project is the procurement and installation of the removable dasher board system, acrylic spectator shielding, ice cover and netting system. Another contract will be let to award construction of the chiller room and cooling tower pad. The engineer's estimate for the dasher board system was \$370,000, and the engineer's estimate for the ice cover was \$125,000, for a total estimate of \$495,000. The remaining portions of the project to still be bid out are the chiller room and cooling tower at an estimated cost of \$130,000 and the rubber flooring at an estimated cost of \$60,000. Accounting for a contingency of \$50,000 and already encumbered funds of \$237,000 for design and construction administration fees, the ice floor demo and refrigeration package of \$1,547,341, bid price for a new Zamboni of \$101,550 the estimated total cost of the

ice sheet at the Events Center is expected to be \$2,595,836. These costs do not include the cost of a storage building to store the equipment for the ice floor.

Funding for the project will come from a \$1,000,000 donation from John Wold, with the balance coming from Capital Project fund reserves.

A resolution is prepared for Council's consideration.

RESOLUTION NO. 14-187

A RESOLUTION AUTHORIZING AN AGREEMENT WITH ATHLETICA SPORTS SYSTEMS, CORP, FOR THE CASPER EVENTS CENTER DASHER BOARDS AND ICE COVER, PROJECT NO. 14-28B.

WHEREAS, the City of Casper desires to purchase and install one complete dasher board system and ice cover at the Casper Events Center; and,

WHEREAS, Athletica Sports Systems, Corp., is able and willing to furnish and install the removable dasher board system and ice cover as part of the Casper Events Center Refrigerated Ice Floor, Project No. 14-28B; and,

WHEREAS, it would be in the best interest of the City to expedite changes in the project by allowing the City Manager to sign change orders effecting time extensions of no more than thirty (30) days, dollar amount changes no greater than Twenty Thousand Dollars (\$20,000.00) and other project administration related change orders that do not substantially alter the scope of the project.

NOW, THEREFORE, BE IT RESOLVED BY THE GOVERNING BODY OF THE CITY OF CASPER, WYOMING: That the Mayor is hereby authorized and directed to execute, and the City Clerk to attest, an agreement with Athletica Sports Systems, Corp., for those services.

BE IT FURTHER RESOLVED: That the City Manager is hereby authorized to make verified partial payments and contract extensions throughout the project, retaining those amounts prescribed by the agreement, equal to a total amount not to exceed Four Hundred Twenty-Six Thousand Nine Hundred and Forty-Five Dollars (\$426,945.00).

BE IT FURTHER RESOLVED: That the City Manager is hereby authorized to sign change orders effecting time extensions of no more than thirty (30) days, changes in the dollar amount of the above described agreement not greater than the sum of Twenty Thousand Dollars (\$20,000.00), and other project administration related change orders that do not substantially alter the scope of the project.

PASSED, APPROVED, AND	D ADOPTED this day of, 2014				
APPROVED AS TO FORM: (Casper Events Center Refrigerated Ice Floor Walle, Trember 14	or, Project No. 14-28)				
ATTEST:	CITY OF CASPER, WYOMING A Municipal Corporation				
V. H. McDonald City Clerk	Paul L. Meyer Mayor				

PROCUREMENT AGREEMENT (Approved by City Attorney, 1995)

THIS PROCUREMENT AGREEMENT is made this 1st day of July, 2014, between the City of Casper, 200 North David Street, Casper, Wyoming, hereinafter referred to as the "Owner," and Athletica Sports Systems, 554 Parkside Drive, Waterloo, Ontario, Canada, N2L 5Z4 hereinafter referred to as the "Contractor."

NOW, THEREFORE, it is hereby agreed as follows:

ARTICLE 1. GOODS AND SERVICES.

Contractor shall furnish the Goods as specified or indicated in the Procurement Documents. The Goods to be furnished are generally described as follows:

Supply and installation of one (1) complete dasherboard, 85' x 200' removable system; team boxes; penalty boxes; scorekeeper's box; camera box; cast acrylic spectator shielding; ice dam; transport/storage equipment; attic stock of spare components; and motorized netting system.

ARTICLE 2. ENGINEER.

The Goods have been specified by the Project Manager, International Coliseums Company (ICC), referred to as the "Engineer" and who is to act as Owner's representative, assume all duties and responsibilities, and have the rights and authority assigned to Engineer by Owner in connection with the furnishing of the Goods and Special Services in accordance with the Procurement Documents.

ARTICLE 3. POINT OF DELIVERY.

The place where the Goods are to be delivered is defined in the Procurement General Conditions as the point of delivery and designated as:

Casper Events Center c/o Bud Dovala 1 Events Drive Casper, Wyoming 82601

ARTICLE 4. CONTRACT TIME.

4.1 All Shop Drawings and samples required by the Procurement Documents shall be submitted to Engineer for review and approval within fourteen (14) days after the execution of this Agreement by the parties. The Engineer shall return all approved shop drawings and samples with comments to the Contractor within ten (10) days of receipt. If the shop drawings and samples are not approved, the Engineer shall give written notice of the reason for non-approval within ten (10) days of receipt, and parties shall work together in mutual, good-faith

- effort to expedite and resolve any outstanding issues within one week of the Engineer's written notice to the Contractor.
- 4.2 The Goods are to be delivered to the point of delivery and ready for Owner's acceptance in accordance with the Casper Events Center Refrigerated Ice Floor Project Preliminary Schedule included in the bid package prior to issuing final payment.
- Liquidated Damages. Owner and Contractor recognize that time is of the essence of this Procurement Agreement and that Owner will suffer financial loss if Goods are not delivered at the point of delivery and ready for acceptance of delivery by Owner within the time specified in Paragraph 4.2 above, plus any extension thereof allowed in accordance with the Procurement General Conditions. Further, they recognize the delays, expense, and difficulties involved in proving in a legal or arbitration proceeding the actual losses or damages (including special, indirect, consequential, incidental, and any other losses or damages) suffered by Owner if complete acceptable Goods are not delivered on time. Accordingly, and instead of requiring proof of such losses or damages, Owner and Contractor agree that as liquidated damages for delay (but not as a penalty) Contractor shall pay Owner Two Hundred Dollar(s) (\$200) for each day that expires after the time specified in Paragraph 4.2 for delivery of acceptable Goods. It is further agreed that such liquidated damages are not a penalty, but represent the parties' best estimate of actual losses or damages.

ARTICLE 5. CONTRACT PRICE.

Owner shall pay Contractor in current funds for furnishing the Goods and Special Services in accordance with the Procurement Documents, subject to additions and deductions by Change Order, the Contract Price of Four Hundred Twenty-Six Thousand Nine Hundred and Forty-Five Dollars (\$426,945). See Exhibit "A" Bid Form, Exhibit "B" Pricing Summary, and Exhibit "C" page 15 of 37 Athletica Sport System Quotes. Contractor must price all bid items and alternates.

ARTICLE 6. PAYMENT PROCEDURES.

Contractor shall submit Applications for Payment in accordance with Article 6 of the Procurement General Conditions. Applications for Payment will be processed through the Engineer as provided in the Procurement General Conditions.

- 6.1 Progress Payments. Owner will make progress payments on account of the Contract Price in accordance with Paragraph 6.3 of the Procurement General Conditions on the basis of Contractor's Applications for Payment as follows:
 - 6.1.1 Upon receipt and approval of Shop Drawings, and receipt of the first Application for Payment submitted in accordance with Paragraph 6.1 of the Procurement General Conditions and accompanied by Engineer's recommendation of payment in accordance with Paragraph 6.2.1 of the Procurement General Conditions, an amount equal to five percent (5%) of the Contract Price.

- 6.1.2 Upon acceptance of delivery of the Goods, and upon receipt of the second such Application for Payment accompanied by Engineer's recommendation of payment in accordance with Paragraph 6.2.2 of the Procurement General Conditions, an amount sufficient to increase total payments to Contractor to ninety percent (90%) of the Contract Price, less such amounts as Engineer shall determine in accordance with Paragraph 6.2.3 of the Procurement General Conditions.
- 6.2 Final Payment. Upon furnishing of the Special Services, and upon receipt of the final Application for Payment accompanied by Engineer's recommendation of payment in accordance with Paragraph 6.6 of the Procurement General Conditions, Owner shall pay the remainder of the Contract Price as recommended by Engineer.

ARTICLE 7. INTEREST.

No interest shall be paid by Owner to Contractor on retained funds.

ARTICLE 8. CONTRACTOR'S REPRESENTATIONS.

In order to induce Owner to enter into this Procurement Agreement, Contractor makes the following representations:

- 8.1 Contractor has familiarized himself with the nature and extent of the Procurement Documents, and has given Engineer written notice of all conflicts, errors, or discrepancies that he has discovered in the Procurement Documents and the written resolution thereof by Engineer is acceptable to Contractor.
- 8.2 Contractor has familiarized himself with all local conditions and federal, state, and local laws, ordinances, rules and regulations that in any manner may affect the production and delivery of the Goods and furnishing of Special Services in connection therewith.
- 8.3 Contractor does not require additional information from Owner or Engineer to enable Contractor to furnish the Goods and Special Services at the Contract Price, within the Contract Time, and in accordance with the other terms and conditions of the Procurement Documents, but subject to Contractor's right to request interpretations and clarifications in accordance with Paragraph 9.2 of the Procurement General Conditions.
- 8.4 Contractor has correlated the results of all such examinations, investigations, and resolutions with the terms and conditions of the Procurement Documents.

ARTICLE 9. PROCUREMENT DOCUMENTS.

The Procurement Documents which comprise the entire agreement between Owner and Contractor are attached to this Procurement Agreement, made a part hereof, and consist of the following:

9.1 This Procurement Agreement (Pages PAG-1 to PAG-5, inclusive).

- 9.2 Exhibit "A" Bid Form.
- 9.3 Certificate of Insurance.
- 9.4 Procurement General Conditions (Pages PGC-1 to PGC-22, inclusive).
- 9.5 Procurement Supplementary Conditions (Pages PSC-1 to PSC-3, inclusive).
- 9.6 Supplementary Instructions to Bidders (Pages 1to 8, inclusive).
- 9.7 Section 13 20 00 Aluminum Frame Dasher Board System (Pages 13 20 00 1 to 13 20 00 7).
- 9.8 Casper Events Center Refrigerated Ice Floor Project Preliminary Schedule.
- 9.9 Casper Events Center Ice Facility Addition Dasher Boards with Seating.
- 9.10 Shop Drawings and other Submittals furnished by Contractor during performance of the Work and accepted by the Owner.
- 9.11 All modifications, including Change Orders, duly delivered after execution of this Procurement Agreement.

ARTICLE 10. MISCELLANEOUS.

- 10.1 Terms used in this Procurement Agreement, which are defined in Article 1 of the Procurement General Conditions, shall have the meanings designated in those conditions.
- 10.2 No assignment by a party hereto of any rights under or interests in the Procurement Documents will be binding on another party hereto without the written consent of the party sought to be bound; and specifically but without limitation, monies that may become due and monies that are due may not be assigned without such consent (except to the extent that the effect of this restriction may be limited by law), and unless specifically stated to the contrary in any written consent to an assignment, no assignment will release or discharge the assignor from any duty or responsibility under the Procurement Documents.
- 10.3 Owner and Contractor each binds himself, his partners, successors, assigns, and legal representatives to the other party hereto, his partners, successors, assigns, and legal representatives in respect to all covenants, agreements, and obligations contained in the Procurement Documents.

ARTICLE 11. GOVERNMENTAL CLAIMS ACT.

11.1 The Owner does not waive any right or rights it may have pursuant to the Wyoming Governmental Claims Act, Wyoming Statute Sections 1-39-101, et seq. The Owner specifically reserves the right to assert any and all immunities, rights and defenses it may have pursuant to the Wyoming Governmental Claims Act.

APPROVED AS TO FORM: (CASPER EVENTS CENTER DASHER BOARD SYSTEM)

Walle Trember

IN WITNESS WHEREOF, the executed in one (1) original copy on the	parties hereto have caused this Procurement Agreement to be e day and year first above written.
	CONTRACTOR:
ATTEST:	Athletica Sport Systems 554 Parkside Drive Waterloo, Ontario, Canada, N2L 5Z4
BY:	BY:
TITLE:	TITLE:
	OWNER:
ATTEST:	CITY OF CASPER, WYOMING A Municipal Corporation
BY:	BY:Paul L. Meyer
TITLE: City Clerk	TITLE: Mayor



Mr. Andrew Beamer City Engineer City of Casper 200 N. David Street Casper, WY 82601

June 25, 2014

Re: Casper Events Center – Ice Floor Project – Evaluation of Dasher Boards and Ice Cover Bid:

The City of Casper and ICC has solicited bids for the purchase of Dasher Boards, Netting, and an Ice Cover for the Event Center Ice Floor Project.

ICC has requested bids from three qualified vendors and the City has also advertised for bids. The City received only one bid from ICC pre-qualified bidders; and there were no additional local bidders. Becker Arena Products acknowledged that they did not have sufficient time to meet our schedule. Cascadia Sport Systems did not return a bid.

This project requires a highly skilled and knowledgably specialty vendor with manufacturing availability and the required experience of custom engineering, building and installing the boards and netting into our new refrigerated concrete slab floor.

Current events at the Events Center allow only a narrow window of building availability for construction with no event activity on the arena floor. There are costs factored into their bid to accommodate our schedule and the number of trips needed.

ICC has reviewed the submitted bids for accuracy, schedule, cost, and understanding of the project's scope of work and existing site conditions.



Re: Casper Events Center - Ice Floor Project - Evaluation of Dasher Boards and Ice Cover **Bid:** (continued)

ICC recommends the selection and award of contract to Athletica Sports Systems for the Dasher Boards, Netting, and ice Cover. ICC recommends that the City award a contract to Athletica for their base bid minus deducts as Follows:

Base Bid Deduct Board Storage carts Deduct Alternate electric winch	\$ 335,940.00 -\$ 11,425.00 -\$ 25,475.00
Sub Total – Boards & Netting	\$299,040.00
Ice Cover Base Bid Trip / Labor in install Sub Total – Ice Cover	\$125,380.00 \$ 2,525.00 \$127,905.00
TOTAL Purchase Order	\$426,945.00



Re: Casper Events Center - Ice Floor Project - Evaluation of Dasher Boards and Ice Cover

Bid: (continued)

Summary of Estimated Costs

Ice Floor Demo & refrigeration package \$1,547,341. Ice Builders

Professional Fees \$235,000. est.

Chiller room and cooling tower pad \$130,000. est. Bid documents due

on Jul-6

New Zamboni \$101,550. - Zamboni Company

Used Ice resurfacer \$45,000.est.

Dasher boards \$ 299,040. – Athletica Sports Systems

Ice Cover \$ 127,905. – Athletica Sports Systems

Rubber flooring \$60,000. est.

Contingency \$50,000.

Estimated Total \$ 2,595,366.00

Sincerely,

Robert Tamborski

Vice President and Director

International Coliseums Company

Website: www.coliseums.com

EXHIBIT "A"

EXHIBIT "A" STANDARD BID FORM (Approved by City Attorney, 1995)

PROJECT IDENTIFICATION:	CASPER EVENTS CENTER DASHER BOARD SYSTEM, PROJECT 14-28B
THIS BID SUBMITTED TO:	City of Casper Engineering Office 200 North David Street Casper, Wyoming 82601
Procurement Agreement with the C furnish the Goods as specified or in	roposes and agrees, if this Bid is accepted, to enter into a city in the form included in the Procurement Documents and to adicated in the Procurement Documents for the Contract Price, ance with the Procurement Documents, and with Article 4 of the
to Bidders, including without limits will remain effective for thirty (3	ns and conditions of the Advertisement for Bids and Instructions ation those dealing with the disposition of Bid Bond. This Bid 0) days after the day of Bid opening. Bidder will sign the it the other documents required by the Procurement Documents e of Owner's Notice of Award.
3. Notice that preferences will seq., is hereby acknowledged.	be granted pursuant to Wyoming Statutes Section 16-6-101, et
4. In submitting this Bid, Bi Agreement, that:	dder represents, as more fully set forth in the Procurement
A. Bidder has examine addenda (receipt of all which is her	ed copies of all the Bidding Documents and of the following eby acknowledged):
Addendum NoA	Dated A/A
Addendum No.	JA Dated NA

B. Bidder has examined the site and locality where the Goods are to be furnished, the federal, state, and local Laws and Regulations, and the conditions affecting cost, progress, or furnishing the Goods and has made such independent investigations as Bidder deems necessary;

C. This Bid is genuine and not made in the interest of or on behalf of any undisclosed person or business entity; Bidder has not directly or indirectly induced or solicited any other Bidde to submit a false or sham Bid; Bidder has not solicited or induced any person or business entity to refrain from bidding; and Bidder has not sought by collusion to obtain for himself any advantage over any other Bidder or over the City; and,
5. Bidder shall bid all schedules, alternates, if any, and will furnish the Goods and Special Services for the following price(s):
TOTAL BASE BID, IN NUMERALS: \$ 352,74000
TOTAL BASE BID, IN WORDS: THEE HUNGED AND FIFY-TAID
THOUGANG, SAGNHUNGSCHANG GRAYDOLLARS
6. Bidder accepts the provisions of the Agreement as to liquidated damages in the event of failure to furnish the Goods on time, unless otherwise stated as provided below. Bidder agrees that such liquidated damages are not a penalty and that the amount provided is as close an estimate as possible to actual damages. Any exceptions or objections to this provision are stated in writing and attached hereto by Bidder.
7. The following documents are attached to and made a condition of this Bid: Required Bic Security in the form of a Bid Bond.
8. Communications concerning this Bid shall be addressed to:
Address of Bidder: ATRICTICA SLOT SYSTEMS (SLOTE CYCTEME UNLIMITED COST.) SSY PARKLINE DRIVE WATERWOO, ONTARDO CAHAMA NIL STY
9. The terms used in this Bid are defined in and have the meanings assigned to them in the Procurement General Conditions, as modified by the Procurement Supplementary Conditions:

Submitted on _____

2014.

IF BIDDER IS:	
AN INDIVIDUAL	
By:	(seal)
(Individual's Name)	
doing business as:	
Business Address:	
Phone Number:	
<u>A PARTNERSHIP</u>	
By:	(seal)
(Firm's Name)	
(General Partner)	z popus dan de la popus de la comita del comita de la comita del la comita de la comita del la c
Business Address:	Control of the same description of the same of the sam
Phone Number:	
A CORPORATION OR LIMITED LIABILITY COMPANY By: MRK STRAUS CEO (Name)	(seal)
PROVINCE OF CNITAGE	
(State of Incorporation or Organization)	
By:	(seal)
	a historia de la companio de la comp
(Title) (Seal)	
Attest: Business Address: SSY MUCIAE AUX WATERIOD PHYTAGIO CAVADA NOLISEY Phone Number: 5474 1830	
TIANG NUMBER OF FIRE SE	

(Each joint venturer must sign. The manner of signing for each individual, partnership, and corporation that is a party to the joint venture should be in the manner indicated above.)

EXHIBIT B

Page 1 of 2



PRICING SUMMARY

DEDUCT	Alternate
--------	-----------

Alt.	#1	provide	extruded	mill	finish	aluminum	posts
------	----	---------	----------	------	--------	----------	-------

Alt. #2 - Manual winch netting system

Alt. #3 — Screwed Backer panels

AH#4 - HDR Posted System with .500" Acrylic "
ALTERNATES:

ICE RINK COVER SYSTEMS:

Base Bid:

Bond: (Bib)

Tax:

TOTAL BID:

125,380.00

EXHIBIT "C"



June 17th, 2014

Robert Tamborski Phone: Director Project Management International Coliseums Company 6751 North Sunset Boulevard, Suite 200 Glendale, Arizona 85305 480-993-0297 (Direct) 480-994-0643 (Main) 602-908-9278 (BB) 602-570-8394 (Cell) Email: rtamborski@coliseums.com

QUOTATION # 120918-016AMMREV5

(Casper Events Center)

Dear Robert.

As the preferred supplier to the NHL, Athletica Sport Systems® we thank you for the opportunity to submit a quote to **Supply and Supervise** a <u>CrystaPlex® Series 6A Aluminum Prefabricated</u> <u>Dasher Board System</u>. This facility is proposed to be 200' long by 85' wide, with 28' radius corners.

This project is to be Renovation to an Existing Building with a New Refrigerated Slab. Drawings and Specifications provided per Bid Package14-28B.

Summary of scope of work by Athletica Sport Systems® will include:

FRAME

- Frames to be structural aluminum and 41" high. Typical 8' length.
- · Adjustable pre-cast anchors supplied and Supervised install by Athletica®
- Concrete pour to be supervised by Athletica® to ensure integrity of anchors.
- Floor thickness to be 5" min.
- Expansion joint to be 1" wide located 1" behind the dasher board system.
- The dashers are to be installed onto a concrete refrigerated floor.
- 4 player gates 30" wide.
- 2 penalty gates 30" wide.
- 2 access gates 42" wide in the radius of the rink.
- 1 double leaf machine gate 120" wide in the radius of the rink.
- 6 straight liftout gates 48" wide in the sides of the rink
- 1 straight liftout gate 48" wide in the end of the rink
- 6 radius liftout gates 48" wide in the radius of the rink






GAMEPLEX*

Infinity Series"

Pro Series"

Sport System Unlimited Corp. 554 Parkside Drive, Waterloo, Ontario, Canada N2L 5Z4 Toll free (North America): 1-877-778-5911 Phone: (519) 747-1856 Fax: (519) 747-3659

Athletica Arena Services, 17200 Medina Road - Suite 600, Minneapolis, MN 55447 Tall free: 1-800-809-7465 (RINK) Fax: (763) 249-7475





Page 2 of 37



STEEL ICE DAM

- 2" steel <u>lce Dam</u> for the entire perimeter of the rink. Steel ice dam to be a C6 x 8.2#/ft channel. Steel channel to be cold galvanized or powder coated after fabrication. Ice dam to have a ½" thick white + ½" thick colored poly by 2" high Kickplate or by 1 ½" high Kickplate interlock nailed to the ice side and insulated with 1½" rigid insulation on the underside.
- Each section of dam shall incorporate a double set of 5/8" anchors for attaching the dasher panels. One set for primary use and one set for backup.

BOARD CLADDING

- .500" thick CrystaPlex® Stay-White polyethylene board Facing.
- .500" thick x 8" high, polyethylene Kickplate.
- Color for the Kickplate to be yellow.
- .750" thick polyethylene Caprail top edge, front and back, routed to 3/8" radius.
- · Color for the Caprail to be red or dark blue.

QUICK RELEASE BACKER PANEL

- .375" thick Stay white polyethylene <u>Backer Panel</u> for two sides and one end of the rink 405 lineal ft of rink.
- Quick Release hardware included for easy removal and installation.
- Gates will get permanently fastened backer panels with ¼" type f screws.
- Backer panel to be white and full 41" high.

GLAZING AND SUPPORTS

- 99" high Crystaplex® 590 Plus acrylic on two ends including radius sections.
- 75.5" high Crystaplex® 590 Plus acrylic on the player box side of the rink.
- 75.5" high Crystaplex® 590 Plus acrylic opposite the player box side.
- The shielding system is to be CrystaPlex® SEAMLESS sides and ends:
- Provide new Crystaplex® Clear HDM Sleeves for entire seamless acrylic shielding.
- The shielding system is to be CrystaPlex® Wide Vision on sides and ends of the rink.
- Provide butterfly clips for seamless acrylic at the radius corners.
- The shielding remains 72" above Caprail in Seamless areas.
- Shielding in front of the scorer's table shall have a 3 1/4" diameter speak hole.

NOTE: CrystaPlex® 590 Plus acrylic thickness will not be less than .585" and not exceed to .620". This material has been tested and approved by the NHL.






GAMEPLEX*

Infinity Series

Pro Series"

Sport System Unlimited Corp. 554 Parkside Drive, Waterloo, Ontario, Canada N2L 5Z4 Toll free (North America): 1-877-778-5911 Phone: (519) 747-1856 Fax: (519) 747-3659

Athletica Arena Services, 17200 Medina Road - Suita 600, Minneapolis, MN 55447 Toll free: 1-800-809-7465 (RINK) Fax: (763) 249-7475







PLAYERS, PENALTY AND TIME KEEPERS - BOXES

- Player boxes are to be 30' long and 5' deep with side and back walls.
- Penalty boxes are to be 8' long and 5' deep with side and back walls.
- Timers box is to be 8' long and 5' deep with side and back walls.
- Camera box is to be 8' long and 5' deep with side and back walls.
- .375" thick half height backer panel and water bottle shelf to be included for the player's boxes.
- Penalty and timers boxes are to be located opposite the player benches.
- 1 additional 30" wide gate is to be provided for the timer's box.
- 1 additional 30" wide gate is to be provided for the camera box.

PLAYERS, PENALTY AND TIME KEEPERS - SHIELDING

- 75.5" high Crystaplex® 590 Plus acrylic for the sides and back of the players boxes.
- 75.5" high Crystaplex® 590 Plus acrylic for the front and sides and back of the penalty boxes.
- 75.5" high Crystaplex® 590 Plus acrylic for the front and sides and back of the timer's box.
- The shielding system is to be CrystaPlex® SEAMLESS sides and back of boxes.
- Provide new Crystaplex® Clear HDM Sleeves for entire seamless acrylic shielding.
- The shielding system is to be CrystaPlex® Wide Vision on the back of the boxes. Bumper pads are to be provided on supports at shield's termination points.

PLAYERS, PENALTY AND TIME KEEPERS - FLOORS

- Floors for the players, penalty and timers boxes are to be of aluminum wood framed construction with 3/4" plywood nailed to base. Rubber flooring to be stapled to plywood or loose lay on top of plywood.
- Coach's walkway, 8" high by 18" wide to be provided for each player box.

PLAYERS, PENALTY AND TIME KEEPERS - BENCHES

- Benches are 1/2" thick white polyethylene top fastened to a 9 1/2"wide aluminum channel.
- Player box benches are to be 24' long.
- Benches in the penalty boxes are to be 8' long.
- Player and penalty benches are to be removable.
- Timers table is to be provided.







GAMEPLEX"

Infinity Series"

Pro Series*



Athletica Arena Services, 17200 Medina Road - Suite 600, Minneapolis, MN 55447 Toll free: 1-800/809-7465 (RINK) Fax; (763) 249-7475





Page 4 of 37



ELECTRIC RETRACTABLE PROTECTIVE NETTING

- Black nylon protective netting for two ends of the rink to a height of 20' above the shielding.
- Netting hardware package to include beam clamps, aircraft cables and misc. hardware required for a complete installation.
- Netting to be suspended on rolled aluminum tubes at top which are suspended from the ceiling.
- Bottom of netting to be attached to dead hang bar and shielding.
- 2 heavy-duty electric lifting winches to meet all requirements and ATSM/OSHA standard codes.
- Motors are equipped with remote controls for raising and lowering netting system.

GOAL FRAMES/NETS

 Four pair of hockey goal frames complete with knotless nets, bottom and center absorption pads and nylon net protector.

SPARES

- 2 standard sizes of acrylic for the end straight of the rink
- 2 standard sizes of acrylic for the radius of the rink
- 2 standard sizes of acrylic for the sides of the rink
 1 piece of each special size piece of acrylic (approximately 20 pieces total)
- 2 pieces of each support posts for shielding
- 2 pieces of each colored plastic for puckboard, top sill and kick strip.

GLASS STORAGE CARTS (LARGE)

8 large "A" frame style glass storage carts. Note: some assembly required.

BOARD STORAGE CARTS

 8 stackable board storage carts of steel construction. Quantity of carts noted is sufficient to store all dasher panels. Carts not included for storing the box floors, benches or ice dam.

ADDITIONAL ITEMS INCLUDED IN BASE BID

- Costs included to Field Measure existing site conditions by a qualified Athletica Sport Systems® representative.
- Polyethylene ramps for 2 locations for getting over the 2" steel ice dam
- 5% Sales Tax





GAMEPLEX"

Infinity Series*

Pro Series"

Sport System Unlimited Corp. 554 Parkside Drive, Waterloo, Ontario, Canada N2L 5Z4 Toll free (North America): 1-877-778-5911 Phone: (519) 747-1856 Fax: (519) 747-3659

Athletica Arena Sarvices, 17200 Medina Road - Suite 600, Minneapolis, MN 55447 Toll free: 1-800-809-7465 (BINK) Fax: (763) 249-7475

www.SportSystemsCorp.com



Page 5 of 37



Material Price Escalation and De-Escalation Clause

Athletica Sport Systems® shall perform the work described in its proposal at the price quoted, subject to the following adjustment: In the event that the price of any material(s) to be used in Athletica Sport Systems® production of the product increase or decrease by 3% percent or greater from the price used for that material(s) at the time the quote was signed, then the price for the material(s) in the contract between Athletica Sport Systems® customer shall be increased or decreased to reflect the additional or reduced cost to obtain that material or materials. Customer agrees that Athletica Sport Systems® shall be entitled to an adjustment to the contract price to reflect any price increases of material(s) that occur as a result of Athletica Sport Systems® incurring additional costs when it orders material(s).

INSTALLATION SUPERVISOR:

An approved Athletica Sport Systems® representative will field measure the existing site prior to the manufacturing process. Installation is based on local UNION rates.

Athletica Sport Systems® will provide ONE supervisor to oversee the installation of the rink system or 100 hours (10days @ 10 hours per day). Supervisor and installers will be permitted to work weekends and holidays, unless otherwise noted in the contract. A minimum charge of \$900.00 per day will be assessed for delays, extra work and expenses caused by the site not being ready or Athletica Sport Systems® terms and conditions not being met.

For Canada & United State Supervision- Required tools will be supplied by SSU/Athletica ®. All equipment that needs to be rented is the sole responsibility of the purchaser. All equipments must be on the job for the duration of the installation.

The purchaser shall provide 6 employees from the conversion staff with good carpentry skills for the duration of the project at its own expense (including any overtime pay, fringe benefits, insurance premiums (including worker's compensation insurance if required by state law), and taxes. The supervisor will work 10 hours a day for 7 consecutive days. The Installation team, provided by purchaser, will work the same schedule. If the above listed requirements are not met, expenses due to failure to meet the required work schedule will be charged to the purchaser.





GAMEPLEX*

Infinity Series"

Pro Series"

Sport System Unlimited Corp. 554 Parkside Drive, Waterloo, Ontario, Canada N2L 5Z4 Toll free (North America): 1-877-778-5911 Phone: (519) 747-1856 Fax: (519) 747-3659

Athletica Arena Services, 17200 Medina Road - Suite 600, Minneapolia, MN 55447 Tall free: 1-800-809-7465 (RINK) Fax; (763) 249-7475

www.SportSystemsCorp.com



Page 6 of 37



The site must be accessible to a tractor-trailer and industrial forklift and driveways to the rink slab/surface must support all necessary equipment. Power outlets with no less than a 30amp breaker must be within 50'of the rink slab/surface or a portable generator with a minimum of 5KW power rating. The surface will be broom clean and work area will be free of all materials and debris. A dumpster (minimum size of 10 yards) and/or an area for trash must be available within 100' of the rink slab/surface so the installers can remove their debris.

Indoor - The rink slab/surface must support at least a 5000lb forklift. Athletica Sport Systems® will accept no responsibility for damage to the rink slab/surface caused by driving a forklift on the rink slab/surface. All overhead work, including but not limited to painting, electrical, HVAC, and insulation must be completed in the rink and the building must be enclosed and lockable. Adequate lighting must be in and operational.

Before the supervisor leaves the job site, he will be required to obtain an authorized signature from the purchaser that the job is complete and that both parties have fulfilled the terms of this contract. If the job is not completed and signed off within the hours stated in this contract, additional charges will apply. Failure to comply will result in voiding the warranty.

o the fullest extent permitted by law, the purchaser shall indemnify and hold harmless Athletica Sport Systems®, its supervisor, and its agents and employees from and against any and all claims, damages, losses, and expenses, including attorney's fees, arising out of, relating to or resulting from any of the work performed by the workers supplied by the purchaser or the condition of the property or premises upon which the installation occurs. Provided that such claim is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property, including loss of use resulting there from, but only to the extent caused in whole or in part by negligent acts or omissions of the purchaser or the workers supplied by the purchaser, or anyone employed directly or indirectly by the purchaser or for whose acts the purchaser may be liable, regardless of whether or not such claim, damage, loss or expense is caused in whole or in part by a party indemnified hereunder.

*Concrete work to be responsibility of others.

ITEMS NOT INCLUDED IN BASE BID

- Performance or payment Bonds
- Special Insurance Requirements
 - Attached please find a copy of our generic Certificate of Liability Insurance reflecting our coverages as of this date. Any
 additional and/or special insurance requirements not covered by this Certificate of Liability Insurance beyond this point
 will require negotiation.





GAMEPLEX*

Infinity Series"

Pro Series"

Sport System Unlimited Corp. 554 Parkside Drive, Waterloo, Ontario, Canada N2L 5Z4 Toll free (North America): 1-877-778-5911 Phone: (519) 747-1856 Fax: (519) 747-3659

Athletica Arena Survices, 17200 Medina Road - Suite 600, Minneapolia, MN 55447 Toll.free: 1-800-809-7465 (RINK) Fax: (763) 249-7475

www.SportSystemsCorp.com

356 Fax: (519) 747-3659 Ainneapolis, MN 55447





- OCIP/CCIP Enrollment Fees
- Any Applicable Permit and/or License Fees
- Garbage Removals/ Dumpsters
- Cleaning of Boards
- Electrical Work
- Concrete Work

В	A.	SE	В	ID	(f	rei	g	ht	ine	clu	dec	1)
T	0	SU	P	PL	Y	&	S	UF	E	?V	ISE	

\$ 352,740.00 US FUNDS minos texes //

Decline		

Accept

ALTERNATE PRICING - PLEASE INDICATE DESIRED ALTERNATE

ALTERNATE 1: MILL FINISH 2C SUPPORTS

2C Terminating supports to be mill finish aluminum in lieu of anodized finish.

m s	SHIPPI	VON	II V	- DEDUCT	FROME	ACE	RID
-----	--------	-----	------	----------	-------	-----	-----

\$ 1,060,00 US FUNDS

Dec	lina		
f feet f	11115		

Accept

ALTERNATE 2: MANUAL RETRACTABLE PROTECTIVE NETTING

- · Black nylon protective netting for two ends of the rink to a height of 20' above the shielding.
- Netting hardware package to include beam clamps, aircraft cables and misc. hardware required for a complete installation.
- Netting to be suspended on rolled aluminum tubes at top which are suspended from the ceiling.
- Bottom of netting to be attached to dead hang bar and shielding.
- 2 Hand crank winches included to raise and lower each end.
- Installation Supervision deduct of 3 days

TO SUPPLY & SU	JPERVISE - DEDUCT	FROM BASE BID
----------------	-------------------	---------------

\$ 25,475.00 US FUNDS

Decline

Accept







Infinity Series"

Pro Series"

Sport System Unlimited Corp. 554 Parkside Drive, Waterloo, Ontario, Canada N2L 5Z4 Toll free (North America): 1-877-778-5911 Phone: (519) 747-1856 Fax: (519) 747-3659

Athletica Arena Services, 17200 Medina Road - Suite 600, Minneapolia, MN 55447 Toll free: 1-800-809-7465 (RINK) Fax: (763) 249-7475





ALTERNATE 3: PERMANENT BACKER PANEL

.375" thick Stay white polyethylene Backer Panel for two sides and one end of the rink 405 lineal ft of rink

 Backer will be attached with ¼" type f screws. Backer panel to be white and full 41" high. 			
TO SUPPLY ONLY - DEDUCT FROM BASE BID		\$ 9,420.00	US FUNDS
Decline	Accept	Admittation and control of the Contr	
ALTERNATE 4: SPECTATOR SHIELDING MOUN WITH .500" ACRYLIC HDR posted system with .500" acrylic shielding	TING HARD	WARE – HDF	R POSTED SYSTEM
TO SUPPLY ONLY - DEDUCT FROM BASE BID		\$ 9,395.00	US FUNDS
ecline	Accept		
VOLUNTARY OPTIONAL PRICING - PLE	EASE INDICA	TE DESIRED	OPTIONS
OPTION 1: SOFTCAP®			
 Athletica® will supply 1" thick SoftCan® safety ca 	n rail on ice s	ide of shieldin	na

- Athletica® will supply **1"** thick SoftCap® safety cap rail on ice side of shielding.
- .750" thick polyethylene Caprail on spectator side of shielding routed to 3/8" radius.
- Color for the Caprail to be Red or Blue.

TO SUPPLY ONLY - ADD TO BASE BID	\$ 8,600.00	US FUNDS
Decline	Accept	





GAMEPLEX*

Infinity Series"

Pro Series"

Sport System Unlimited Corp. 554 Parkside Drive, Waterloo, Ontario, Canada N2L 5Z4 Toll free (North America): 1-877-778-5911 Phone; (519) 747-1856 Fax: (519) 747-3659

Athletica Arena Services, 17200 Medina Road - Suite 600, Minneapolis, MN 55447 Toll free: 1-800-809-7465 (RINK) Fax: (763) 249-7475

www.SportSystemsCorp.com



Page 9 of 37



OPTION 2: CONVERSION FRIENDLY BASE

Frames to be constructed with conversion friendly 3/8" thick x 3" high x 6" wide aluminum 6005-T6 alloyed angle base.

TO SUPPLY ONLY - ADD TO BASE BID	\$ 8,5	90.00	US FUNDS
Decline	Accept		
TAXES ARE INCL IF YOU ARE TAX EXEMPT, AN EXEM IN ORDER TO ALLOW TAXES NOT			
IT IS VERY IMPORTANT THAT T	HE FOLLOWING BE F	ILLED	OUT:
PROPOSED PROJECT <u>COM</u> Manufacturing lead-times can vary throughout the Representative to discuss how w	year. Please contact your	Athleti	
COLOR OF KICKPLATE	COLOR OF TOP SIL		
FOB: Destination (Casper, WY 82601) Unload in Parking Lot (Loading Dock not avail Prices firm for 30 days	able)		
**SHIPPING MUST TAKE PLACE WITHIN 180 DA JECT EXTENDS BEYOND THE 180 DAYS FOR A	and the first of the control of the		the control of the co

Payment Terms: All payment terms based on Credit Approval (O.A.C)

45% with placement of signed quotation or purchase order 45% two weeks prior to shipping





FLECTED IN HERE WILL BE SUBJECT TO REVIEW.


GAMEPLEX*

Infinity Series"

Pro Series"

Sport System Unlimited Corp. 554 Parkside Drive, Waterloo, Ontario, Canada N2L 5Z4 Toll free (North America): 1-877-778-5911 Phone: (519) 747-1856 Fax: (519) 747-3659

Athletica Arena Services, 17200 Medina Road - Suite 660, Minnoapolis, MN 55447 Toll frae: 1-800-809-7465 (RINN: Fax: (763) 249-7475





Page 10 of 37



10% due 10 days after installation
or
Payment in full upon order with 1% discount
or
Progress payments made with monthly draws
AIA documents where applicable (Please Note AIA Documents may be amended at the time of the contract document review)

Leasing and Financing options may be available. Please contact your Athletica Sport Systems representative to learn more.

Please Note: When a contractor's payment and performance bond has been issued to the owner, a copy must accompany all contracts, signed quotes or purchase orders.

By: ______ Joe Richardson – Sales Representative

If you require any additional information, please contact Joe Richardson in the office at 877-78-5911 ext 232.

Notwithstanding the foregoing, should Athletica Sport Systems® be delayed in the commencement, prosecution or completion of the work by any cause beyond Athletica Sport Systems® control and not due to any fault, neglect, act or omission on its part, then Athletica Sport Systems® shall be entitled to an extension of time as agreed upon by the parties hereto in writing and shall not be held liable for any liquidated damages for any delays caused by either the owner or general contractor.

This bid is subject to Athletica Sport Systems® standard terms and conditions and Limited warranty and may be withdrawn without penalty at anytime before contract execution. If accepted, sign and return one copy, and retain a duplicate for your files. When approved by one of our officers and returned, it becomes a binding contract. This quotation is subject to change, withdrawal, or cancellation until accepted by you. If we have not received your acceptance within 60 days from the date hereof, this quotation shall automatically expire. Athletica Sport Systems® retains a security interest in all the products covered in this agreement until all sales' terms have been met. In addition, the purchaser agrees to sign any additional documents for Athletica Sport Systems® to perfect its security interest in the products.





GAMEPLEX*

Infinity Series"

Pro Series*

Sport System Unlimited Corp. 554 Parkside Drive, Waterloo, Ontario, Canada N2L 5Z4 Toll free (North America): 1-877-778-5911 Phone: (519) 747-1856 Fax: (519) 747-3659

Athletica Arena Services, 17200 Medina Road - Suite 600, Minneapolis, MN 55447. Toll free; 1-800-809-7465 (RINK) Fex; (763) 249-7475

www.SportSystemsCorp.com



Page 11 of 37



The above proposal is accepted:

(Please make sure you indicated either an accept or decline in the options listed above as well as your completion date and color of kick plate and sill cover in the box provided above. Thank you.):


President/Owner/General Manager	ror spo	ort Systems Unimited	u Corp.
Name of Signee (please print)	Name of	Signee (please prin	t)
Date	Date		namananario e
PLEASE COMPLETE THE FOLLOWING AC	COUNT INFORM	IATION:	december on a security of a security of the s
Payment Terms (from listed options above)	go yang ya di inganang yang dan panggan aran di ingan dan dan dan dan dan dan dan dan dan d		
ST%; PST%; HST% []*	Exempt (see belo	ow) (for Canada only)	
Federal ID Number:	(for direct impo	rting purposes).	
State Tax% Local Tax% []*Exer	mpt (see below)		
*If you are tax exempt, please send us a c	copy of your Tax	Exemption Certificate	e along with this
signed quote. Credits will not be issued after i	invoicing is compl	ete. Thank you.	
IN ADDITION TO THE QUOTATION THE FO	LLOWING ITEM	S HAVE BEEN INCLU	JDED
☐ Athletica Sport Systems® Standard Terms	& Conditions		
☐ 3 Year Warranty			
Credit Application			
BORDER PATROL. CRYSTAPLEX	GAMEPLEX*	Infinity Series"	Pro Series"

Sport System Unlimited Corp. 554 Parkside Drive, Waterloo, Ontario, Canada N2L 5Z4 Toll free (North America): 1-877-778-5911 Phone: (519) 747-1856 Fax: (519) 747-3659 Athletica Arena Services. 17200 Medina Road - Suita 600, Minneapolia, MN 55447

Tall free: 1-800-809-7465 (RINK) Fax: (763) 249-7475

www.SportSystemsCorp.com







554 Parkside Orive Waterloo, Ontario, Canada N2L 924 Toll Free: 1-877-778-5911 Tel: \$19-747-1856 Fax: 519-747-3659 17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA 55447 Toll Free: 1-800-809-7465 Tel: 763-249-7465 Fax: 763-249-7475

www.athletica.com

Introduction to Athletica Sport Systems

Please accept this letter as a brief introduction to Athletica Sport Systems (legal entity name Sport Systems Unlimited Corp.).

Athletica Sport Systems has a long and successful track record since 1996 of engineering, manufacturing, and installing dasher board systems in elite-level arenas, multi-purpose event centers, and community rinks. In total our dasher boards are in approximately 2,500 rinks and arenas around the world

We are the only dasher board company in the world named *Preferred Rink Equipment Supplier to the National Hockey League*; we are pleased to advise that 24 of the 30 arenas in the NHL use Athletica boards. And we are the only board manufacturer whose product is approved for use in both the NHL and Kontinental Hockey League.

In addition, we have supplied dasher board systems for arenas serving NCAA universities, as well as the American Hockey League, the Central Hockey League, and the Canadian Hockey League (Comprised of the Western Hockey League, the Ontario Hockey League and the Quebec Major Junior Hockey League).

Our strength lies in our commitment to creating innovations to improve player safety and reduce risk and liability on the part of owners and operators of rinks. Innovative player safety products such as SoftCap®, GlassFlex® and our Seamless Acrylic Shielding System have truly changed the way the game is played.

Athletica Sport Systems is jointly (privately) Canadian and American owned. We have our corporate headquarters in Waterloo, Ontario; we operate a sales & distribution center in Minneapolis, MN, and we are represented around the globe by a network of professional distributors.

For more about Athletica Sport Systems, please contact the undersigned, or visit our web site: www.athletica.com.

Yours truly,

David Staines

Director of Sales & Marketing













554 Farkside Drive Watertoo, Ontario, Canada NZL 524 Toll Free; 1-877-778-5911 Tel: 519-747-1856 Fax: 519-747-3659

17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA 55447 Tall Cross 1, 800-809-7465

Toll Free: 1-800-809-7465 Tel: 763-249-7465 Fax: 763-249-7475

www.athletica.com

Tuesday, June 17, 2014.

Casper Event Center

Bob Tamborski
International Coliseums Company
14301 North 87th St Suite 214
Scottsdafe AZ 85260

480-493-0247

QUOTATION # ADQ21 - 061714

(Casper Event Center - 1" Arena Deck)

Thank-you for the opportunity to submit a quote on an ArenaDeck® ice rink cover. This price quotation is based on rink dimensions of 200' long x 85' wide x 28' radius for a total of 20,000 sq./ft. ArenaDeck® is the ideal conversion product for any multi-purpose facility. Lighter than plywood or fiberboard, the raised decking allows for fast easy lifting and removal. The Patented product technology ensures product will not warp, swell, deform or curl from its original size. The natural gray color and textured top surface create a neutral atmosphere for any event. The nonporous surface will not absorb contaminates, and allows for quick clean up before storage.

Base Bid Includes the following:

- 532 Total Panels
 - 528 Waffle Panels 48" x 96" x 1"
 - 4 Solid Panels size 48" x 96" x 1" for Loading Areas
- Delivery To Caper Event Center
- Supply Only

BASE BID

See Below For Additional Option Pricing

ž	axes	cxua	
		Dactino	

\$125,380.00

US FUNDS

Base Bid

THE	FOLI	OWING	ITEMS	ADE	INCLUDED	1341	RASE	RID
5 1 X I	1. Amr	"CANSSAR"	11 CMO	MILE	MACTORED	11.4	DMOE	DIL

- Delivery (Off loading of materials by others)
- 5 year limited warranty
 - Note:
- · Refrigeration must be turned on and Arena deck cooled to operating temperature for installation
- Dasher boards or ice dam must be installed by owner prior to installation of decking

ADDITIONAL ITEMS NOT INCLUDED IN BID

- Taxes
- Minimum of SIX (6) Facility personnel is required to install the arena deck
- Forklift for off-loading and installation
- Circular saws for cutting ArenaDeck®
- Power outlets

Flectrical

Accept

- Costs of 100% Performance Bonds
- Any Applicable Permits and/or License Fees
- Special insurance requirements
- OCIP or CCIP enrollment fees
- Installation














ATTIC STOCK - 1" WAFFLE BOTTOM



OPTION #1:

SS4 Parkside Drive Waterloo, Ontario, Canada N2L 5Z4 Toll Free: 1-877-778-5911 Tel: 519-747-1856 Fax: 519-747-3659 17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA 55447 Tall Free, 1-800-809-7465 Tel; 763-249-7465 Fax; 763-249-7475

www.athletica.com

OPTIONAL PRICING - PLEASE INDICATE DESIRED OPTIONS

 Attic Stock Must Be 	AFFLE Panels size 48" x 96" x 1" for a Ordered With Full Rink For Shipping of Panels Of Waffle Bottom Attic Stock	To Be Included	
TO SUPPLY ONLY Taxes Extra		\$ 23	33.00 US FUNDS
Decline	Accept	Quantity	Address of the Control of the Contro
 Attic Stock Must Be 	OCK - 1" SOLID BOTTOM OLID Panels size 48" x 96" x 1" for Att Ordered With Full Rink For Shipping Panels Of Solid Bottom Attic Stock	To Be included	75.00 US.FUNDS
Taxes Extra Decline	Accept	Quantity	galacional casa de la desta de la dela del del del del del del
	E STORAGE CARTS w/ Heavy Duty (ge Carts with heavy duty castor's.	Castors	
TO SUPPLY ONLY Shipping Included		\$ 17,0	60.00 US FUNDS
Dadina		Arrant	









5S4 Parkside Orive Waterloo, Ontario, Canada N2L 5Z4 Toll Free: 1-827-778-5911 Tel: 519-747-1856 Fax: 519-747-3659

17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA 55447

Toll Free: 1-800-809-7465

Tel: 763-249-7465' Fax: 763-249-7475

www.athletica.com

Option #4 - SUPERVISION ONLY

Sport Systems Unlimited Corp. will provide ONE Supervisor to oversee the installation of the rink system for 16 hours (2 x 8-hour days). Supervisor and Installers will not be permitted to work weekends and/or holidays, unless otherwise noted in the contract. Charges will be assessed for delays, extra work and expenses caused by the site not being ready or Sport Systems Unlimited Corp Terms and Conditions not being met.

Required tools and equipment to be supplied by Purchaser (List of Required Tools will be provided upon request or upon quote approval). All equipment that needs to be rented is the sole responsibility of the Purchaser. All tools and equipment must be on the job for the duration of the installation. The Purchaser shall provide labor for the duration of the project at its own expense (including any overtime pay, fringe benefits, insurance premiums (including worker's compensation insurance if required by state law), and taxes. Before the supervisor leaves the job site, he will be required to obtain an authorized signature from the Purchaser that the job is complete and that both parties have fulfilled the terms of this contract. If the job is not completed and signed off within the hours stated in this contract, additional charges will apply. Failure to comply will result in voiding the warranty. To the fullest extent permitted by law, the Purchaser shall indemnity and hold harmless Sport Systems Unlimited Corp, its Supervisor, and its agents and employees from and against any and all claims, damages, losses, and expenses, including attorney's fees, arising out of, relating to or resulting from any of the work performed by the workers supplied by the purchaser or the condition of the property or premises upon which the installation occurs. Provided that such claim is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property, including loss of use resulting there from, but only to the extent caused in whole or in part by negligent acts or omissions of the purchaser or the workers supplied by the Purchaser, or anyone employed directly or indirectly by the purchaser or for whose acts the purchaser may be liable, regardless of whether or not such claim, damage, loss or expense is caused in whole or in part by a party indemnified hereunder.

TO SUPPLY ONLY Taxes Extra	\$ 2,525.00	us funds Teip labor linstill
Decline	Accept	(odd)

All Prices firm for 60 days.

TAXES ARE <u>NOT</u> INCLUDED IN YOUR BID.

IF YOU ARE TAX EXEMPT, AN EXEMPTION CERTIFICATE MUST BE PROVIDED WITH RETURNED SIGNED OUOTE

Sport Systems Unlimited Corp. shall perform the work described in its proposal at the price quoted, subject to the following adjustment: In the event that the price of any material(s) to be used in Sport Systems Unlimited Corp's production of the product increase or decrease by 3% percent or greater from the price used for that material(s) at the time the quote was signed its, then the price for the material(s) in the contract between Sport Systems Unlimited Corp./Customer shall be increased or decreased to reflect the additional or reduced cost to obtain that material or materials. Customer agrees that Sport Systems Unlimited Corp. shall be entitled to an adjustment to the Contract price to reflect any price increases of material(s) that occur as a result of Sport Systems Unlimited Corp. incurring additional costs when it orders material(s).

Payment Terms: All payment terms based on Credit Approval (O.A.C) 50% with order / 50% Two Weeks prior to shipping











554 Parkside Drive Waterloo, Ontario, Canada N2L 5Z4 Toll Free: 1-877-778-5911 Tel: 519-747-1856 Fax: 519-747-3659

17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA 55447 Inll Free: 1-800-809-7465

Tel: 763-249-7465 Fax: 763-249-7475

www.athletica.com

Please Note: When a contractor's payment and performance bond has been issued to the owner, a copy must accompany all contracts, signed guotes or purchase orders.

By: Josh Robinson

Josh Robinson - ArenaDeck™ Product Manager

If you require any additional information, please call Josh at $877-778-5911 \times 61$ or Bob Vohnoutka at our corporate office in Minneapolis, MN 800-809-7465.

Notwithstanding the foregoing, should Sport Systems Unlimited Corp. be delayed in the commencement, prosecution or completion of the work by any cause beyond Sport Systems Unlimited Corp. control and not due to any fault, neglect, act or omission on its part, then Sport Systems Unlimited Corp. shall be entitled to an extension of time as agreed upon by the parties hereto in writing and shall not be held liable for any liquidated damages for any delays caused by either the owner or general contractor.

This bid is subject to Sport Systems Unlimited Corp. Standard Terms and Conditions and Limited Warranty and may be withdrawn without penalty at anytime before contract execution, if accepted, sign and return one copy, and retain a duplicate for your files. When approved by one of our officers and returned, it becomes a binding contract. This quotation is subject to change, withdrawal, or cancellation until accepted by you. If we have not received your acceptance within 60 days from the date hereof, this quotation shall automatically expire.

Sport Systems Unlimited Corp. retains a security interest in all the products covered in this agreement until all sales' terms have been met. In addition, the purchaser agrees to sign any additional documents for Sport Systems Unlimited Corp, to perfect its security interest in the products.

If the above proposal is accepted:


(Please make sure you indicated either and accept or decline in the options listed above. Thank you)

For Casper Event Center (Signature)	For Sport Systems Unlimited Corp
Name (please print)	Name (please print)
Date	Date











554 Parkside Drive

Waterloo, Ontario, Canada N2L SZ4

Toll Free: 1-877-778-5911

Tel: 519-747-1856 Fax: 519-747-3659

17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA 5544?

Toll Free: 1-800-809-7465

Tel: 763-249-7465 Fax: 763-249-7475

www.athletica.com

5 - Y ear Arena Deck Warranty

Subject to the disclaimer, proper utilization, maintenance, limitations and Cautionary Information stated hereafter, Manufacturer warrants that the product will technically remain non-absorbent, will remain stable, and will remain free from defects in material or workmanship for a period of five years under normal and non-abusive use.

THIS LIMITED WARRANTY IS EXPRESSLY MADE IN LIEU OF ANY AND ALL OTHER WARRANTIES. EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE EXCLUSIVE REMEDY OF THE BUYER IS LIMITED TO REPLACEMENT OF THE PRODUCT WHICH MAY BE PRORATED AT MANUFACTURER'S DESCRETION AND DETERMINED BY THE LENGTH OF TIME THE ARENA DECK HAS BEEN IN SERVICE. EXCEPT AS STATED IN THIS LIMITED WARRANTY, MANUFACTURER SHALL NOT BE LIABLE FOR ANY LOSS, INCONVENIENCE, OR DAMAGE, INCLUDING DIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, RESULTING FROM THE USE OR INABILITY TO USE THE PRODUCT, WHETHER RESULTING FROM BREACH OF WARRANTY OR ANY OTHER LEGAL THEORY.

Any oral statements or representations made by anyone which are contrary to or at variance with the terms stated in this LIMITED WARRANTY are void.

CAUTIONARY INFORMATION

- 1. This product will discolor if left exposed to direct sunlight for extended periods of time without a surface coating.
- 2. Because this product is available in various strengths and sizes, please consult a certified engineer before utilizing this product in any weight bearing and/structural application.
- 3. This product has been produced to meet customer's basic requirements only. Customer's actual structural strength and other engineering requirements are unknown to Sport Systems Unlimited Corp. It is understood that the customer will qualify each product to meet the particular applications intended.
- 4. This product to be applied and used by people learned in the construction industry.
- 5. Although this product has successfully passed a UL 94 HB fire test, it will burn under certain conditions such as exposure to high heat and/or direct flame for an undetermined period of time.
- * Although no standards exist for the Arena Deck regarding an average Coefficient of Friction, in accordance with ASTM D 2047, the average Coefficient of Friction of a dry Arena Deck is 0.34, and the average coefficient of Friction of a wet Arena Deck is 0.74. Additional coating of this product is available at an added cost through the manufacturer, which coating will improve the average Coefficient of Friction of an Arena deck.

In order to place a claim under warranty, the Buyer must return the product to be replaced, freight prepaid, to 1402 39". Street NW, Fargo, North Dakota 58102. Claims on products that have been physically altered or which have been used in a manner inconsistent with written instructions, this LIMITED WARRANTY, or the Cautionary Information contained herein will not be accepted. No warranty will be honored unless the product returned is, in the judgment of the Manufacturer, defective in material or workmanship.













Page 18 of 37

554 Parksido Drive Waterloo, Ontario, Canada N2L 5Z4 Tolf Free: 1-877-778-5911 Tel: 519-747-1856 Fax: 519-747-3659

17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA S5447 Toll Free: 1-800-809-7465 Tel: 763-249-7465 Fax: 763-249-7475

www.athletica.com

Tuesday, June 17, 2014

Introduction to Athletica Sport Systems

Please accept this letter as a brief introduction to Athletica Sport Systems (legal entity name **Sport Systems Unlimited Corp.**).

Athletica Sport Systems has a long and successful track record since 1996 of engineering, manufacturing, and installing dasher board systems in elite-level arenas, multi-purpose event centers, and community rinks. In total our dasher boards are in approximately 2,500 rinks and arenas around the world

Athletica Sport Systems is a privately owned corporation, incorporated under the laws of Ontario, Canada. We have our corporate headquarters in Waterloo, Ontario, and we operate a sales and distribution center in Minneapolis, MN.

Athletica Sport Systems has been owned since its inception by Adam Pender, Trevor Brodie and Robert O. Naegele Jr.

We are the only dasher board company in the world named *Preferred Rink Equipment Supplier to the National Hockey League*; 24 of the 30 arenas in the NHL use Athletica boards, and we are the only board manufacturer whose product is approved for use in both the NHL, and Kontinental Hockey League.

In addition, we have supplied over 100 ArenaDeck ice cover systems to rinks and arenas throughout the world including most NHL facilities. We have been selling ArenaDeck since 2000.

The ArenaDeck product has been manufactured in Fargo, North Dakota by Space Age Synthetics (ISO 9001:2008 registered), since 1997. Space Age Synthetics, Ltd. has the distinction of recently receiving from OSHA the Safety and Health Achievement Recognition Program (SHARP) award. Space Age Synthetics has a combined office and production staff of 25 full-time employees including 4 engineers. They have a de dedicated press for the manufacturing of ice floor covers complete with our patented molds. The engineering department oversees production personnel for product consistency and quality

Yours truly,


David Staines
Director of Sales & Marketing

















554 Parkside Drive Waterloo, Ontario, Canada N2L 524 Toll Free: 1-877-775 5911 Tel: 519-747-1856 Fax: 519 747-3659

17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA 55447

Toll Free: 1-800-809-7465

Tel: 763-249-7465 Fax: 763-249-7475

www.athletica.com

Contractors Schedule:

Should Sport Systems Unlimited Corp. be awarded the contract to supply a new ice cover for Casper Event Center, we would be able to provide the floor within a 4-6 week time frame.

All insurance requirements will be met and certificates will be sent once a purchase order has been received.

References

October 2010

Orleans Arena / Orleans Hotel & Casino Las Vegas, Nevada USA Jeremy H. Keenan Office: (702) 365-7469 Ex#15356

June 2011

Crown Coliseum Fayetteville, NC USA Chris Ragland (910) 438-4105

July 2011

DeSoto Civic Center Southhaven MS, USA Randy Culver (910) 438-4105 October 2012

Madison Square Gardens New York, NY Bill Martino (212) 465-6174

August 2013

Scotiabank Saddledome Calgary, AB Andrew Higgins (403) 777-3692

December 2013


Dunkin Donuts Center Providence, RI Bob Lauro (401) 331-0700 x 7161
















534 Parkside Onve Waterloo, Ontario, Canada N2t. SZ4 tolf Free: 1:877-778-5911 Jel: 519 747 1856 Fax: 519 747 3659

17200 Medinu Road - Suite 600 Minneapolis, Minnesora, USA 55447 - Et avantaria - Lastaria - Calabarra - Calabarra

1. Nationwide Arena

Columbus, OH - USA / Aug-00 536 Panels - 48" x 96" x 1" Waffle

2. XCEL Energy Center

Minneapolis, MN – USA / Sep-00 536 Panels – 48" x 96" x 1" Waffle

3. Bakersfield Centennial Garden

Bakersfield, CA – USA / Sep-00 536 Panels – 48" x 96" x 1" Waffle

4. New Haven Veterans Coliseum

New Haven, CT - USA / Oct-00 536 Panels - 48" x 96" x 1" Waffle

5. Port Alberni ice Rink

Vancouver, B.C. - Canada / Marktt 536 Panois - 431 k 961 k 11 Waffie

6. Historic Atlantic City

Atlantic City, NJ – USA / Aug-01 536 Panels – 48" x 96" x 1" Waffle

7. Pepsi Arena

Albany, NY – USA / Aug-01 536 Panels – 48" x 96" x 1" Waffle

8. Ralph Engelstad Arena

Grand Forks, ND – USA / Sep-01 400 Panels 60" X 120" x 1" Solids

9. Court Yard Milwaukee Road Depot

Minneapolis, MN –USA / Apr-02 532 Panels – 48" x 96" x 1" Waffle

10. Richmond Community Facilities Coliseum

Richmond, VA – USA / Jul-02 532 Panels – 48" x 96" x 1" Waffle

11. Centre Montreal inc.

Montreal - Cusada / Nov-02 270 Panels (L.) EU/OR: - 481 x 961 v 31 V/affile

12. Allen County War Memorial Coliseum

Fort Wayne, IN – USA/ Jan-03 546 Panels – 48" x 96" x 1" Waffle

13. University of Octowa Fitness Center

Orcawa, Christian Contains / Adaphili Patrick and things from a war to 64% or 1880 file

14. Omaha Convention Center

Omaha, NE – USA / Sep-02 423 Panels (Cut Floor) – 60" x 96" x 1" Solid

15. Everett Event Center

Everett, WA – USA / Sep-03 531 Panels – 48" x 96" x 1" Waffle

16. Everett Event Center

Everett, WA – USA Sep-03 1" X 48" X 96" Waffle 534

17. Coliseo De Puerto Rico

San Juan, Puerto Rico / Oct-03 552 Panels – 48" x 96" x 1" Waffle

18. Jacksonville Arena

Jacksonville, FL – USA / Nov-03 552 Panels – 48" x 96" x 1" Waffle

19. Veterans Memorial (Broome County)

Binghamton, NY – USA / Nov-03536 Panels – 48" x 96" x 1" Waffle

20. Phoenix-Glendale Coyote Arena

Glendale, AZ – USA / Dec-03 556 Panels – 48" x 96" x 1" Waffle

21. Madison Square Garden

New York, NY – USA / Dec-03 552 Panels – 48" x 96" x 1" Waffle

22. Bell Center

Montreal, Quebec - Canada / txx. 03 270 Panels (X FLOOR) - 48" x 96" × 1" Warfle











554 Parkside Drive Waterloo, Onterio, Canada NZL 524 Inil Free: 3-877-778-59 1 Ter: 519-747-1856 Fax: 519-747-3659

was in the second

23. HP Pavilion

San Jose, CA – USA / Feb-04 195 Panels (% FLOOR) - 48" x 96" x 1" Waffle

24. Hershey Center

Mintestatoj ki s 24 + 1,5 a mas 7 April 14 501 Panelin + 281 x PET ki 11 kvante

25. FedEx Forum

Memphis, TN – USA / May-04 556 Panels – 48" x 96" x 1" Waffle

26. Bank of America Center

Boise, ID – USA / Sep-04 541 Panels – 48" x 96" x 1" Waffle

27. Color-Line Arena

Hamburg – Germany / Sep-04 442 Panels – 48" x 96" x 1" Waffle

28. Tsongas Arena

Lowell, MA – USA / Sep-04 532 Panels – 48" x 96" x 1" Waffle

29. Arena at Harbor Yard

Bridgeport, CT – USA / Oct-04 556 Panels – 48" x 96" x 1" Waffle

30. Charlottetown

Prince Edward Island - Canada / Nov-04 526 Parels - 481 x 961 x 11 Vanse

31. Moncton Coliseum

Monoton, New Roposaluk - Canada / Mier Wa 546 Panels - 481 x 051 x 11 Warfie

32. Prince George Multiplex

Prince George, BC - Cunada y Apolició. Sas Papels (1481 x 1451 + 11 wassio)

33. Iowa Events Center

Des Moines, IA – USA / Jun-05 512 Panels – 48" x 96" x 1" Waffle Des Plaines, IL – USA / Jul-05 522 Panels – 48" x 96" x 1" Waffle

35. Charlotte Arena

34. All-State Arena

Charlotte, NC – USA / Aug-05 556 Panels – 48" x 96" x 1" Waffle 241 Panels – 48" x 96" x 1" Solid

36. Omaha Civic Auditorium (MECA)

Omaha, NE — USA / Aug-05 522 Paneis — 48" x 96" x 1" Waffle

37. Pelham Civic Complex

Pelham, AL – USA / Sep-05 522 Panels – 48" x 96" x 1" Waffle

38. Youngstown Arena

Youngstown, OH – USA / Oct 05 534 Panels – 48" x 96" x 1" Waffle

39. Penarowth Saddledome

Calgory America - Callada / Oct CS S41 Planetic - 481 x 961 x 111 William

40. Bradley Center

Milwaukee, WI – USA / Nov-05 530 Panels – 48" x 96" x 1" Waffle

41. Centre 200

Sydicy Nove Scotiz - Canada / Iari 96 545 Paneis - 48° x 99° x 1° Waffle

42. Comcast Spectator (Wachovia)

Philadelphia, PA – USA / Feb-06 516 Panels – 48" x 96" x 1" Waffle

43. Dunkin Donuts

Providence, RI – USA / Mar-06 531 Panels – 48" x 96" x 1" Waffle

44. Gwinnett Center

Duluth, GA – USA / Jun-05 535 Panels – 48" x 96" x 1" Waffle













554 Parkside Drive Waterloo, Ontario, Canada NJL 524 Tolf Free: 1-877-778-5911 Tel: 519-747-1856 Fax. 519-747-3659 17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA 55447

Minneapolis, Minnesots, USA 55447 (e.) the ED Selfrado - 855 (e.) William ED Selfrado - 655

45. Five Flags Center

Dubuque, IA – USA/ Jul-06 552 Panels – 48" x 96" x 1" Waffle w/ FASCOAT

46. Krefeld Arena

Dusseldorf, Germany / Aug-06 641 Panels – 48" x 96" x 1" Waffle

47. Dobson Arena

Vail, CO – USA / Aug-06 500 Panels – 48" x 96" x 1" Waffle

48. Broomfiled Event Center

Broomfield, CO – USA / Sep-06 532 Panels – 48" x 96" x 1" Waffle

49. Sears Center

Hoffman Estates, IL – USA / Sep-06 522 Panels – 48" x 96" x 1" Waffle

50. Rio Rancho

Rio Rancho, NM – USA / Sep-06 532 Panels – 48" x 96" x 1" Waffle

51. Prescott Valley

Prescott Valley, AZ – USA / Oct-06 522 Panels – 48" x 96" x 1" Waffle

52. Air Canada Centre

toropto Cotano - Canada / Oct Ms 520 Paneis - 60" x 95" x 1" 5olid w/ FASCOAT

53. The Rose Quarter

Portland, OR – USA / Oct-06 710 Panels – 48" x 96" x 1" Waffle

54. Aviator Sports and Recreation

Brooklyn, NY – USA / Nov-06 515 Panels – 48" x 96" x 1". Waffle

95. Community Centres & Marine DivisionSauct Saint Marie Ontario – Canada / Novtó
500 Panels – 48" x 96" x 1" Walfie

56. Toyota Center

Houston, TX – USA / Dec-07 420 Panels – 60" x 96" x 1" Solid

57. Pepsi Center

Denver, CO – USA / Jan-07 615 Panels – 48" x 84" x 1" Solid

58. City of Tulsa

Tulsa, OK – USA / Jan-07 471 Panels – 48" x 96" x 1" Waffle

59 Credit Union Centre

Saskatoon, Saskatchewah ~ Canada / Fcb-07 532 Paneis – AST x 987 x 17 Waifle W/ FASCOAT

60. hp Pavilion at San Jose

San Jose, CA – USA / Feb-07 300 (1/2 Floor) Panels – 48" x 96" x 1" Waffle

61. I-Wireless Center

Moline, IL – USA / Sep-07 532 Panels – 48" x 96" x 1" Waffle

62. Sprint Center

Kansas City, MO – USA / Sep-07 532 Panels – 48" x '96" x 1" Waffle

63. Newark Arena

Newark, NJ – USA / Sep-07 552 Panels – 48" x 96" x 1" Waffle

64. Mellon Arena

Pittsburgh, PA – USA / Sep-07 518 Panels – 48" x 96" x 1" Waffle

65, MITS Centra

Windipeg Mancoba – Canada / Jan-08 532 Panels – 481 x 951 x 11 Whitle w/ FASCOAT

66. Sun Valley

Sun Valley, ID – USA / May-08 532 Panels – 48" x 96" x 1" Waffle













554 Parkside Drive Waterioo, Ontario, Canada NZL 524 foll Frec: 1-877-778-5911 Tel: 519-747-1656-Fax: 519-747-3659

37200 Medina Boad - Suite 600 Misasapolis, Minnesots, 35A 55447 Hali Series - Series - Series - Series Hali Series - Ser

57. University of British Columbia Vancouver DC - Canada / Jid-08 036 Panels - 481 (1961) x 11 Vancia

68. Joe Louis Arena Detroit, MI – USA / Aug-08 532 Panels – 48" x 96" x 1" Waffle w/ FASCOAT

69. RBC Center
Raleigh, NC – USA / Aug-08
538 Panels – 48" x 96" x 1" Waffle

70. Cumberland County Civic Center Portland, ME – USA / Sep-08 552 Panels – 48" x 96" x 1" Waffle

71. Wenatchee Arena Wenatchee, WA – USA / Sep-08 542 Panels – 48" x 96" x 1" Waffle

72. Citízens Business Bank Arena Ontario, CA – USA / Sep-08 532 Panels – 48" x 96" x 1" Waffle

73. Peoria Civic Center
Peoria, IL – USA / Sep-08
266 Panels (½ Floor) – 48" x 96" x 1" Waffle

74. Kent Events Center
Kent, WA – USA / Sep-08
532 Panels – 48" x 96" x 1" Waffle

75. American Airlines Arena Miami, FL – US / Jan-09 250 Panels – 48" x 96" x 1" Waffle 80 Panels – 48" x 96" x 1" Solid

26. Langley Events Center Burneby, BC — Canada / Riber) 540 Panels — **48**° x **9**6° x **1**° Wolfe a

77. Ritchie Center
Denver, CO – US / Aug-09
540 Panels – 48" x 96" x 1" Waffle

78 Anyal te Page Place Arena Keri well PC - Corese / Aug-05 S4u Falish - 481 > 451 x 5751 Will file

79. Honda Center Anaheim, CA – US / Sep-09 520 Panels – 48" x 96" x 1" Waffle

80. DCU Centre Worcester, MA – US / Oct-09 528 Panels – 48" x 96" x 1" Waffle

81. Independence Arena Independence MS – US / Oct-09 536 Panels – 48" x 96" x 1" Waffle

82. Allen Event Center Allen, TX – US / Oct–09 536 Panels – 48" x 96" x 1" Waffle

83. Halifax Forum Halifax, NS - Canada / Nov-09 588 Panels - 481 x 951 x 31 Walife

84. Lucas County Arena Toledo, OH – US / Nov-09 536 Panels – 48" x 96" x 1" Waffle

85. Curtis C Menard Memorial S.C Wasillia, AK – US / Dec-09 540 Panels – 48" x 96" x 1" Waffle **USED FLOOR**

86. American Airlines Arena Miami, FL – US / Jan-10 140 Panels – 48" x 96" x 1" Solid

87. Amway Center
Orlando, FL – US / May-10
540 Panels – 48" x 95" x 1" Wattle











Page 24 of 37



\$54 Parkside Drive Waterloo, Ontario, Canada NZL 574 foll Free: 1-872-778-5911 fel: 519-247-1856 Fax: 519-247-3659

17200 Medina Ruad - State 600 Minneapolis, Minnesora, USA 55847 History - Tell Park - 405 History - Tell Park - 405 History - Tell Park - 405

88. Staples Center

Los Angeles, CA – US / Jul-10 545 Panels – 48" x 96" x 1" SOUD

89. City of igelian

Republic, NEC - Canolis 7 And 30 320 Backellik 1815, ext x 5281 Wastle

90. Orleans Arena

Las Vegas, NV – US / Oct-10 540 Panels – 48" x 96" x 1" Waffle w/ FASCOAT

91. St. Pete Times Forum

Tampa, FL – US / Dec-10 540 Panels – 48" x 96" x 1" Waffle w/ FASCOAT

92. Ford County Events Center

Dodge City, KS – US / Jan-11 538 Panels – 48" x 96" x 1" Waffle

93. Lignite Miners Centre Estevan, SK – Canada / Apr. 11 540 Panels – 48" x 05" x 5/8" Waffie

94. Crown Center

Fayetteville, NC – US / Jun-11 526 Panels – 48" x 96" x 1" Waffle

95. De Soto Civic Center

Southaven, MS – US/ Jul-11 528 Panels – 48" x 96" x 1" Waffle

96. Kohl Center / University of Wisconsin

Madison, WS – US / Aug-11 656 Panels – 48" x 96" x 1" Waffle 4 Panels – 48" x 96" x 1" Solid

97. Madison Square Gardens

350 Panels – 48" x 96" x 2" Solid w/ FASCOAT New York, NY – US / Sept-11

98. Madison Square Gardens

New York, NY – US / Oct-11 525 Panels – 48" x 96" x 1" Waffle 4 Panels – 48" x 96" x 1" Solid

95. James K, Irving Centre

Valuede' Soucroeche, NB - CAM/ Nov-11 520 Panels - 48" x 96" x 1" Weffle 4 Fanels - 48" x 96" x 1" John

100. Barclays Center

Brooklyn, NY – US / May - 12 540 Panels – 48" x 96" x 1" Waffle

101. Piczoa County Wellness Centre

Pactors MS - Cenado / Nov. 12 540 Panels - 481 x 961 x 5/31 974ffe

102. Cree Nation of Wemindji

West dept QC - CAS/ Sept 12 531 Panels - 48" x 96" x 1" Watte a Panels - 48" x 96" x 1" Solid

103. ScotiaBank SaddleDome

Cityony, AE - CAN/ July - 19 S40 Panels - 48" x 96" x 1" Woffle 4 Panels - 40" x 96" x 1" Solid

104. United Center

Chicago, IL — US / July-13 532 Panels — 48" x 96" x 1" Waffle 4 Panels — 48" x 96" x 1" Solid

105. Dunkin Donuts

Providence, RI – USA / Dec-13 518 Panels – 48" x 96" x 1" Waffle 4 Panels – 48" x 96" x 1" Solid

106. BMO Harris Bank Center

Rockford, II – USA / Jan-14 544 Panels – 48" x 96" x 1" Waffle 4 Panels – 48" x 96" x 1" Solid

107. Al Sadd Sports Hall

Doha, Qatar - / Apr-14 610 Panels - 48" x 96" x 1" Waffle 5 Panels - 48" x 96" x 1" Solid











Page 25 of 37



534 Parkside Drive Waterloo, Ontario, Canada NOL 524 Toll Free: 1-877-778-5911 Tee \$19-747-1856 Fax: 519-747-3659 17200 Med na Road Suite 600 Minneapolis, Minnesota, USA 55447 Figure Company, Reservations and Communication of the Communication of t









ARENA DECK PANEL COUNT
- FULL SIZE PANELS: 499
- RADIUS PANELS: 32
- 12" FILLER PANELS: 20

RINK SIZE - 200' X 85' X 28'R DECK PANEL SIZE - 4' X 8'

ADDICKBAL PROVES/ITEMS

	rad-8	31 rad	-32	1	2	3		4	5	6	7	8		9	10	11	1	2	13	14	15	16	1	7 7	18 r	ad-1	rad-2		
ran	d-30	19	20	2	1 3	22	23	24	25	5 2	6	27	28	29	3	0	31	32	38	3	4	35	36	37	38	39	na ra	ð-3	
rad-29	9 40	4	1	42	43	44	4	5	46	47	48	49	5	0	51	52	5	3 :	54	55	56	57	58	9 (59	60	61	rad 4	
raø-28	62	63	64	6	5	36	67	68	69	7	0	71	72	73	7	4	75	76	77	7 7	8	79	80	81	82	8	3 8	34 ra	∀ -5
rad-27 85	86	8	7	88	89	90	9	1	92	93	94	95	9	6	97	98	9	9 1	00	101	102	103	3 10)4 1	05	106	107	108	nad-6
fad-26 1	09	110	111	1	12 1	13	114	115	11	6 1	17	18	119	120	12	21 -	122	123	12	4 12	25	26	127	128	129	13	0 1	31 ra	d-⅓
rad-25 132	130	3 1	34	135	136	137	7 1:	38	139	140	141	14:	2 1.	43	144	145	114	46 1	47	148	149	150) 15	1 1	52	153	154	155	rad-8
156 1	157	158	159	11	60 1	61	162	163	16	4 1	65	66	167	168	16	39 '	170	171	17	2 17	73 -	174	175	176	177	1 17	8 1	79 1	80
181 182	183	3 11	34	185	186	18	7 1	88	189	190	191	19	2 1	93	194	195	15	96 1	97	198	199	50) 20	11 2	202	203	204	205	206
207 2	208	209	210	2	11 2	212	213	214	21	<u>5 2</u>	16 2	217	218	219	weren named		221	555	<u> </u>		24 2		226	227	228	1 22	9 2	30 2	31
282 233	234	4 2	35 3	236	237	23	8 2	g-194 marrows	240	241	242	_L			245	246		promistoron	248	249	250		1 25			254	255	256	257
258 2	259	260	261	2	62 2	263	264	265	26	6 2	67 3	268	269	270	27		272	273	- who was everyw		75 3		277	278	279	×	10 2	81 2	82
283 284	28	5 2	86 3	287	288	289	9 2		291	292	293		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	296	297				300	301	merek begin	an afair and		equinal an	305	306	307	308
309 3	310	311	312	3	13 3	314	315	316	mge avec en skar.		·····	319	320	321		-,,m,,,,,l,,,,,,,	323	324	k			327	328	329					33
rad-24 334				337	338				341	342	343	md waxaya		r	346	347			349	350	351	35	····akarina ya		ugamuntan.	355	356	357	<u>rad-9</u>
	358	359	360	3	51 3	. January	363	364		L	r	agreement.	368	369	andron, my		371	372	mmmy				376	377			amakaan	grammetermen	1-17
rad-22 381	382			384	385	1		- monaria mare	388	389	390			gramma kanasa	402	hamangana	an kamanan		105	406	407		k			411	412	Longogamion	rad-12
raid-21 4	414	415	416	4	17 4	118	419	420	m-kanaranga	air ankanana	ş	123	424	425		,	427	428	, de ceremany			131	432	433					1/13
rad-2			mmonde vo	439	440	44		· · · · · · · · · · · · · · · · · · ·	443	444	445	mifraconago.	an endament		448	449			151	452	453	makana magasa		amantini	e gan annadann	457	ontako i tego orrónario	rad-1/4	*
ra	d-19		460		,		463	464			r	467	468	kolmáni-zmém			471	472		tun			476	477	Marining	minim	79 rac	of many	
	rade	and representations		481	482				485	486	487	48			490	491			193	494	495	,d,					rad-16	1	
	r	ad-17	F-1	F	-2	3	F-4	F-5	Ŭ F-	6 h	-7]	F-8	F-9	F-10) F-	11 1	12	F-13	F-1	4 -	15 F	-16]	r-1/	r-18	F-1	9 F-7	20]		

ARENA DECK PANEL LAYOUT



2000 2014 ANDRE 14, 5481 900 9015, 915 52447 958 (800800-0198 (2011-1981) 1/202 781-188-1485 1/20 785-149-1415 1/20 185-149-1415

SEGMULTER.	Sept.	200 20	31:11	BUG	74(7.3)	M.VIIIII	OKINCHAL NOTESH	3128	3886.
ोटम्बरङ्ग्याहा जन •	PH.	COUNTRIE NO	92:	A 101-04-04-04-04-04-04-04-04-04-04-04-04-04-		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	AHCHCRS	2/8^	250.6 ~91
13.17	9C/99/39	STROT NO.	IOF1				ANCHOR BOUTS	5/8'XX'	MICS - 045
\$9000	: /16"~. 1"~15"		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				CONSIDER BOURS	5/87X2*	19403-085
MARK HELY	A? SECTION								
120000	***************************************		AA			7 7 110 - 271			




5\$4 Parkside Drive Waterloo, Ontano, Canada N2t. 5Z4 Toll Free: 1-877-778-5917 Tel: \$19-747-1856-Fax: \$19-747-3659

17200 Medina Road - Sune 600 Minneapolis, Minnesota, USA 55447 foll Free: 1-800-809-7465 Tel: 16,3-249-10-85, Feb. 16,3-244-7 (20

Saute Committee of the same

Maintenance and Operations Manual Arena Deck™ Ice Floor Cover



Arena Deck[™] *Pro*Arena Deck [™] *Pro FASCOAT*Arena Deck[™] *Lite-Duty*



















554 Parkside Drive Waterloo, Ontario, Canada N2L 5Z4 Toll Free: 1 877 778 5911 Tel: 519-747-1856 Fax: 519-747 3659

17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA 55447 Toll Free: 1-800-809-7465 Tel: 763-249-7466 Fax: 743-749-7475

www.sibictrca.com

TABLE OF CONTENTS


Letter From Sport Systems Unlimited / Athletica Staff

PRODUCT TECHNICAL DATA

INSPECTION / INSTALLATION

OPERATION CARE AND MAINTENANCE

WARRANTY



















554 Parkside Drive Waterloo, Ontario, Canada N2L 524 Toll Free: 1: 677-778 5911 1gl; 519-747-1856 Fax: 519-747-3659

17200 Medina Road - Svite 600 Minneapolis, Minnesota, USA 55447 Toli Prec 1-800-809-7465 Telepholista Pass Februe, 200-7474

meet stimbelesseen

Dear Valued Customer.

Thank you for your purchase of our Arena DeckTM ice Floor Covering System. The Arena DeckTM is the premier ice floor covering system available. With proper care and storage the Arena DeckTM system will provide your arena facility with many years of service in the harsh conversion environment.

The Arena DeckTM is specifically designed for use as an ice cover for multi-purpose arenas. As such it is a strong, durable, yet light weight sheet that is relatively maintenance free. However like any product there are do's and don'ts associated with this system.

The following information contained in this document will assist you with installation, care and maintenance of your ice floor covering system. We ask that you read this document prior to the first installation of the Arena Deck^M

If you have any questions or comments about the Arena Deck please feel free to contact our office by phone at (877) 778-5911.

Once again, thank you for selecting Sport Systems Unlimited Corp / Athletica as your ice floor cover provider.

Sincerely,

The Staff at Sport Systems Unlimited Corp / Athletica











554 Parkside Drive Watertoo, Ontario, Canada N2U5Z4 Tull Free: 1-877-778-5911 Tel: \$19-747-1856-Fax: \$19-747-3659

1720) Medina Road - Soite 600 Minneapolis, Minnesota, USA 55447 Tott Free: 1-800-809-7465 Tel: 763-349-7465 Fax: Cu2-249-7475

www.crthieteracom

PRODUCT TECHNICAL DATA

Arena DeckTM Pro

Properties Data			Arena Deck'* Pro	Arena Deck [®] Pro FASCOAT			
Nominal Density			16/ft ²	26.2.1	20 ± 1		
Nominal Board Weigh	ıţ		lЪ	55	47		
Tensile	Modulus	ASTM D1037	ksi	127	81.8		
	Strength		ksi	2,42	1.56		
Flexural	Modulus	ASTM C393	ksi		97.0		
	Strength		ksi	4.21	2.27		
Compressive	Modulus	ASTM D1621	ksi		19.2		
	Strength @10%Strain		k 5i	2.05	0.73		
Thermal Resistance (f	(-Value)	ASTM CS18	ft *):- hr/8tu	**	**************************************		
Coefficient of Therma	l Expansion	ASTM D696	in/in/*F	1.8×10	2.8x10 °		

Arena Deckim Lite- Duty

Properties Data	Arena Deck** Lite-Duty			
Nominal Density			lb/ft [*]	2421
Nominal Board Weight	2		lb	30
Tersile	Modulus Strength	ASTM D1037	ksi ksi	2.65
	Modulus Strength	ASTM C393	ksí	188 3.84
Compressive	Modulus Strength @10%Strain	A5TM D1621	ksi ksi	35.8 1.50
Thermal Resistance (R	Value)	ASTM C518	ft²-∓- hr/Btu	1.86
Coefficient of Thermal	Éxpánsion	ASTM 0696	in/in/°F	2.8×10°

The transic literarial compressive, coefficient of thermal expansion and density properties given in the tables above are material properties which do not take into account global mechanical property differences due to the complex geometry of the board. However, thermal resistance values fixed are global properties because they take the thermal resistance of the air trapped by the board geometry into account. The mechanical properties listed here are, to the board of our knowledge, correct, those very due to the variability of the manufacturing process, these values should not be used for design purposes. Anyone using this product to organic the product for mended use. Space Age Synthetics, Inc. is not table for any product means: Oral suprement or representations made by anyone which are Contrary to or actions with the sustencess and material properties stated to this document dated January 18, 20% are divaled.




















584 Parkside Drive Waterloo, Ontario, Canada N2L 5Z4 Tuff Fred: 1-877-776-5911 Tel: 519-747-1856-Fax: 519-747-3659

17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA 55447 Toll Free: 1-800-809-7465 Tel: 768-249-7465 Fax: To2-749-7410

www.Pidetale.org

INSPECTION

We recommend that you inspect all of the Arena Deck sheets as soon as possible after receiving them and report to us any problems, defects or issues. While we employ high quality control standards in production of Arena Deck there may be the occasional sheet that has a defect. Every measure is taken in the manufacturing process to ensure our best finished look, however all fiber-reinforced polyurethane products are subject to some minor inconsistent surface variables and slight color variations that are inherent to our process and the polymerization of polyurethane foam. These variables in no way affect the structural integrity of the material; nor are they covered under the manufacturer's warranty. Any defects that are found must be reported to Sport Systems Unlimited within 30 days.

INSTALLATION

The Arena Deck¹⁶ ice floor cover will arrive at your facility packaged on hardwood skids. Most pallets will contain 50 sheets. If you plan not to use the optional storage carts then retain the hardwood skids. They are suitable for use to store the Arena Deck¹⁶ when not in use.


The Arena DeckTM has been designed to have minimal expansion and contraction due to temperature change. However there is a small amount of shrinkage that occurs once the sheet is laid on the ice. It is recommended twenty-four (24) hours prior to the first installation of the Arena DeckTM that the skids be moved into the rink area to acclimatize and cool down. This will help to contract the sheets and ensure a tight installation.

We recommend that the Arena Deck is stored indoors, or if stored outdoors, that the sheets are completely covered with a tarp. The UV rays will discolor the sheets and turn them slightly green. The UV will not affect that structural integrity of the sheet, but it will look unsightly. Discoloration from UV exposure is not covered under warranty.

Prior to installation of the Arena Deck^{TV} you should decide on the method of installation that you want. This discussion should include the Operations and Conversion staff. Essentially there are three ways of installing the ice floor cover:

- 1) Interlocking Brick Pattern Lengthwise Recommended (see picture right)
- 2) Square Pattern Lengthwise
- 3) Square Pattern Widthwise

We recommend the interlocking brick pattern as it helps to secure the sheets in place and does not allow four corners to come together. Over time, the corners of any ice floor cover can become rounded. This can create a hole where the four corners meet.















554 Parkside Drive Waterloo, Ontario, Canada N2L 5Z4 Toll Free: 1-877-778 5911 Tel: \$19-747-1856 Fax: \$19-747-3659

17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA 55447 Tall Free: 1-800-809-7469 Tel: 763-249-2365 (84): 245-245-247

www.abbelicacom

This document will describe the Interlocking Brick Pattern installation method.

Tools Required

- Hand held circular saw with fine tooth blade (2)
- Saw horses or 4' x 8' work table
- Sharpie black markers (4 to 6)
- 100' chalk line and chalk
- 4' steel straight edge
- 8' steel straight edge
- Steel square
- Tape measure (25' min) steel blade (not fabric or cloth).
- White Paint Pen or similar to mark locations of cut sheets
- Gloves
- Safety Eyewear
- Safety Footwear
- Stabilicers or similar anti-slip soles
- Template of ice rink board radius 8'
- Note pads
- ShopVac, brooms and garbage bin

Staffing Requirements

For the first installation it is recommended that you employ a supervisor from Sport Systems Unlimited Corp. / Athletica. If you have previously installed an ice floor cover, a supervisor is not a necessity. You should have four to six (4-6) conversion or operations staff involved in the initial installation. In addition you should have one or two carpenters or similar trained personnel to cut the sheets. The first installation will take eight to ten (8-10) hours. Allow enough time between events to ensure that the installation is completed and that there is time to remove the ice cover once it has been cut and marked.

















SSS Parkside Orive Waterloo, Ontario, Carrada N21, 524 Toll Free: 1 877-778 5911 Tel: \$19-747-1856 Fax: 519-747-3659


17200 Medina Rood - Suite 600 Minneapolis, Minnesota, USA 55447 Toll Frem 1-800-809-3465 fet 763-249-7463 Fax 753-240-0424


www.arbiełka.com

Step 1. Before installing any sheets make sure that the ice has been scraped and is dry. It is not recommended to floor the ice prior to installation of the ice floor cover as it makes it more difficult to walk on the ice and the sheets tend to slide. Also we recommend that you use a power edger and a manual ice scraper to remove any build-up of ice around the perimeter of the rink boards.

Step 2. Choose one side of the rink to begin the installation. From the center of the red line make a mark on the kick plate 4' down from center. Bo this on the opposite side of the rink also. Stretch the chalk line across the width of the rink and snap a line 4' back from center. This line will be used to create the brick pattern and to ensure that each subsequent row of the ice cover is installed straight.

Step 3. Start installation of ice cover by laying the first sheet against the boards at center ice. Make sure that this sheet is properly located and tight against the boards





Step 4. Install additional Arena Deck^{IM} sheets down the length of this side until you reach the start of the radius of the boards. Take caution to ensure that the sheets don't slide on the ice. Check frequently to see that the center sheets are still on the lines.



















554 Parkside Drive
Waterloo, Ontario, Canada N2L 5.24
Tott Free: 1-877-778-5911
Tel: 519-747-1856 - Fax: 519-747-3658
17200 Medina Road - Suite 600
Minneapolis, Minnesota, USA 55447
Totl Free: 1-800-809-7465
Tot: 763-240-7465 - Fox: 185-240-2475
Recessed by Clearer in

Step 5. Once the first row is complete to the radius, begin the next row at centerice. Stagger the second row using the chalk line to offset the sheets 4'. When installing the second row always take care that the second row is tight to the first. You will find that lightly kicking the center of the sheet will keep the rows aligned and the sheets tight.





Step 6. Continue to install additional rows of sheets up to the radius of the rink. Do not cut the radius corners in at this point. Make sure that the rows are tight and there are no gaps between the sheets.

Step 7. Once all of the rows have been installed you will need to cut a sheet lengthwise for the final row. On an 85° wide rink this final row will be 9'' - 12'' wide. Cut one or two pieces of 8° long sheets to the proper width and install them snuggly against the kick strip. This will help to lock the floor in place while cutting the radius corners and end pieces.



















554 Parkside Drive Waterloo, Onfano, Canada N2L 524 Toll Free: 1 877 778 5911 Tel: \$19-747-18S6 Fax: 519-747-3659


17200 Medina Road - Suite 600 Minneapolis, Michesota, USA 55447 Toll Free: 1-800-809-7465 Tot 76 & 3440 Pages Ford Jab 240 T475


www. miesti au one

Step 8. Cut pieces to fill in the gaps at each end of the rink. Once complete you can begin measuring and cutting the radius corners. Each radius piece will need to be measured and cut. Many ice rinks have variations in the radius from corner to corner and even through the radius itself.

























554 Parkside Drive Waterloo, Ontario, Canada N2L 5Z4 foll Free: 1-877-778-5911 Tel: \$19-747-1856-Fax: \$19-747-3659 17200 Medina Road - Suite 600 Minneapolis, Minnesota, USA \$5447 Toll Free: 1-806-809-7465 Tel: 763-249-7465

essessibiliticación.

Step 9. Once the entire ice floor cover is installed the custom cut pieces will need to be marked by location using the white paint pen or similar utensil.



OPERATIONAL CARE AND MAINTENANCE

Your new Arena DeckTM ice floor cover is relatively simple to use clean and maintain. The sheets are manufactured from polyurethane foam and will not absorb moisture or odors. A few simple steps will keep your ice cover looking and smelling clean.

Operation

Prior to installation of the ice cover make sure that the ice is dry and has been shaved. It is recommended that you use a power edger and hand scraper around the perimeter of the rink boards to ensure that there are no bumps or uneven areas.

Do not drive forklifts or carts over the ice cover until it is completely installed.

Once the ice cover has been installed it is important to keep an eye on the ice temperature below the cover. As the Arena Deckth has insulating properties it will help to isolate the ice from the various heat loads inside the rink (radiant, ambient, lighting etc.) If the cover is down for an extended period of time the ice temperature may drop significantly if not controlled. A large drop in ice temperature can cause the ice cover to become cold and drop below the dew point in the rink area. If this happens moisture may condense out on the top side of the ice cover. This is an uncommon occurrence but can happen under certain conditions.

The Arena DeckTM can be left on top of the ice for extended periods of time without the worry of it sticking to the ice.

Cleaning and Maintenance

When ready to store until the next event, a mild soap and water mixture with a low pressure washer or floor scrubber will adequately clean the panels. Store the panels away from direct sunlight on pallets or carts, and stack horizontally

Once a year, a thorough cleaning of the Arena DeckTM can be done with a low pressure sprayer and mild soap.

The use of harsh cleaning chemicals is not recommended. If using anything other than soap and water, test on a small inconspicuous area first to observe the effects.











554 Parkside Orive Waterloo, Onturio, Canada N2L 5Z4 Toll Free: 1 877 778 5911 (el: 519-747 1856 Fax: \$19 747 3659

17200 Medina Road - Soite 600 Minneapolis, Minnesota, USA 55447 Toll Proe: 1-800-809-7465 Tue 753-249-2465 Tue 753-240 1973

www.-theirasson

5 - Y ear Arena Deck Warranty

Subject to the disclaimer, proper utilization, maintenance, limitations and Cautionary Information stated hereafter, Manufacturer warrants that the product will technically remain non-absorbent, will remain stable, and will remain free from defects in material or workmanship for a period of five years under normal and non-abusive use.

THIS LIMITED WARRANTY IS EXPRESSLY MADE IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE EXCLUSIVE REMEDY OF THE BUYER IS LIMITED TO REPLACEMENT OF THE PRODUCT WHICH MAY BE PRORATED AT MANUFACTURER'S DESCRETION AND DETERMINED BY THE LENGTH OF TIME THE ARENA DECK HAS BEEN IN SERVICE. EXCEPT AS STATED IN THIS LIMITED WARRANTY, MANUFACTURER SHALL NOT BE LIABLE FOR ANY LOSS, INCONVENIENCE, OR DAMAGE, INCLUDING DIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, RESULTING FROM THE USE OR INABILITY TO USE THE PRODUCT, WHETHER RESULTING FROM BREACH OF WARRANTY OR ANY OTHER LEGAL THEORY.

Any oral statements or representations made by anyone which are contrary to or at variance with the terms stated in this LIMITED WARRANTY are void.

CAUTIONARY INFORMATION

- 1. This product will discolor if left exposed to direct sunlight for extended periods of time without a surface coating.
- 2. Because this product is available in various strengths and sizes, please consult a certified engineer before utilizing this product in any weight bearing and/structural application.
- 3. This product has been produced to meet customer's basic requirements only. Customer's actual structural strength and other engineering requirements are unknown to Sport Systems Unlimited Corp. It is understood that the customer will qualify each product to meet the particular applications intended.
- 4. This product to be applied and used by people learned in the construction industry.
- 5. Although this product has successfully passed a UL 94 HB fire test, it will burn under certain conditions such as exposure to high heat and/or direct flame for an undetermined period of time.
- Although no standards exist for the Arena Deck regarding an average Coefficient of Friction, in accordance with ASTM D 2047, the average Coefficient of Friction of a dry Arena Deck is 0.34, and the average coefficient of Friction of a wet Arena Deck is 0.74. Additional coating of this product is available at an added cost through the manufacturer, which coating will improve the average Coefficient of Friction of an Arena deck.

In order to place a claim under warranty, the Buyer must return the product to be replaced, freight prepaid, to 1402 39th Street NW, Fargo, North Dakota 58102. Claims on products that have been physically altered or which have been used in a manner inconsistent with written instructions, this LIMITED WARRANTY, or the Cautionary Information contained herein will not be accepted. No warranty will be honored unless the product returned is, in the judgment of the Manufacturer, defective in material or workmanship.













